



THE WORKER-CENTRIC SAFETY HARNESS

Two important goals of ergonomics are the comfort and the health & safety of workers. In many ways, these are mutually compatible, for where health and safety are jeopardized, discomfort results. When it comes to working at height, few tasks are more dangerous than steel erection and scaffolding. Not only are construction workers at risk of fall, but long hours spent in a restrictive non-ergonomic heavy harness can lead to muscular fatique due to restricted freedom of movement, overexertion, repetitive tasks, load exposure, sweat and heat build-up...often resulting in frustration and complacency. These states can cause or contribute to critical errors, such as eyes and

mind not on the task and bad posture, leading workers to be less compliant to their harness (incorrect fit and adjustment, no anchor point attachment, etc.) which may increase the risk of musculoskeletal disorders (MSDs) and fall.

Honeywell recognized the need for change and revolutionized a new generation of safety harnesses, the Miller H500 series, around four key worker-centric value drivers: ergonomic safety, usability, style and performance.

The new Honeywell Miller® H500 integrates evidence-based "best-in-class" anatomically and ergonomically designed pressure-relief breathable paddings for more

comfort and freedom of movement, and introduces a variety of other new smart and intuitive safety features.

The Honeywell Miller® H500 safety harness synthesizes safety, quality and comfort. Whereas some other harnesses may protect workers from serious injury at the expense of their long-term well-being, the Honeywell Miller® H500 aims beyond compliance to keep workers safe and supported – making their jobs easier and keeping them more safe.

A NEW AGE OF SAFETY HARNESSES





Greater freedom of movement

- New specially formulated webbing flexes to accommodate movement and body contours for optimum comfort around legs/ shoulders
- New patented shoulder/back padding design minimizes overhead muscular fatigue (overexertion)
- Waist pad with adequate foam density for optimum lumbar support
- Lighter-than-ever harnesses

- 2 More breathability
 - New "best-in-class" anatomically and ergonomically designed pressure-relief breathable shoulder/back padding keeps workers drier and cooler
 - Three times more breathable compared to the next best alternative (less water vapour resistance – RET)*
- Smart anti-tangle for a hassle-free donning experience
- Openicated SRL web link for easy attachment of personal SRLs

- User-friendly resettable lanyard keepers
 - Allows users to attach lanyard when not in use
- Clearly identifiable smart impact indicators for hassle-free inspection
- Optimized label protection with self-contained and practical Velcro®-label pouch
- 3 Improved visible stitch pattern for easy inspection
- Rated to 420 lb (max. weight capacity)

^{*}As per the Satra Technology technical report.

NEW MODERN DESIGN FOUR CORE MODELS

The modern ergonomic design provides higher visibility, smarter features and safer, more comfortable functionality. Select from four models, available in three sizes.

HONEYWELL MILLER® H500

CONSTRUCTION COMFORT (CC)

CONSTRUCTION STANDARD (CS)

INDUSTRY COMFORT (IC)

INDUSTRY STANDARD



- Highly breathable, lightweight, ergonomic shoulder/back padding
- Robust and ergonomic pressure-relief waist pad
- Specially formulated, comfortable leg and shoulder webbing
- User-friendly lanyard keepers



- Robust and ergonomic pressure-relief waist pad
- Specially formulated, comfortable leg and shoulder webbing
- User-friendly lanyard keepers
- Smart anti-tangle easy-donning solution
- Soft, removable shoulder pads




- Highly breathable, lightweight, ergonomic shoulder/back padding
- Specially formulated, comfortable leg and shoulder webbing
- User-friendly lanyard keepers



- Smart anti-tangle easy-donning solution
- Specially formulated, comfortable leg and shoulder webbing
- User-friendly rebar hook lanyard keepers
- Soft, removable shoulder pads

BREATHABILITY DATA

The lower the RET (water vapor resistance) value is, the higher the breathability.



FEATURES

- Lightweight, ergonomic, breathable harness
- Comfortable around the legs, waist, back and shoulders
- Increased freedom of movement
- Smart rebar hook/lanyard keepers and SRL web link
- Quick and easy-to-fit and adjust
- Improved visible stitch pattern
- Clearly identifiable fall-impact indicators

HONEYWELL MILLER® H500 MODEL GUIDE										
				D-RINGS						
CORE MODELS	VARIANT	LEG BUCKLES	CHEST BUCKLES	BACK D	FRONT D	SIDE D	SMALL SHOULDER PADS	SRL WEB LINK	SIZING	PART NUMBER
CC MODEL	CC1	Tongue	Mating	Steel	0	Steel	0	1	S/M	H5CC311021
		Tongue	Mating	Steel	0	Steel	0	1	UNIV	H5CC311022
		Tongue	Mating	Steel	0	Steel	0	1	XXL	H5CC311023
	CC2	Tongue	Mating	Steel	Steel	Steel	0	1	S/M	H5CC311121
		Tongue	Mating	Steel	Steel	Steel	0	1	UNIV	H5CC311122
		Tongue	Mating	Steel	Steel	Steel	0	1	XXL	H5CC311123
	CC3	Tongue	Mating	Alum	Alum	Steel	0	1	S/M	H5CC312221
		Tongue	Mating	Alum	Alum	Steel	0	1	UNIV	H5CC312222
		Tongue	Mating	Alum	Alum	Steel	0	1	XXL	H5CC312223
	001	QC	QC	Alum	Alum	Steel	0	1	S/M	H5CC222221
	CC4	QC	QC	Alum	Alum	Steel	0	1	UNIV	H5CC222222
		QC	QC	Alum	Alum	Steel	0	1	XXL	H5CC222223
	005	QC	QC	Alum	0	Steel	0	1	S/M	H5CC222021
	CC5	QC	QC	Alum	0	Steel	0	1	UNIV	H5CC222022
		QC	QC	Alum	0	Steel	0	1	XXL	H5CC222023
	000	QC	QC	Steel	Steel	Steel	0	1	S/M	H5CC221121
	CC6	QC	QC	Steel	Steel	Steel	0	1	UNIV	H5CC221122
		QC	QC	Steel	Steel	Steel	0	1	XXL	H5CC221123
	667	Tongue	Mating	Steel	0	N/A	0	1	S/M	H5CC311001
	CC7	Tongue	Mating	Steel	0	N/A N/A	0	1	UNIV	H5CC311002
CS MODEL	CS1	Tongue Tongue	Mating	Steel Steel	0	Steel	2	0	S/M	H5CC311003 H5CS311021
CS MODEL		Tongue	Mating Mating	Steel	0	Steel	2	0	UNIV	H5CS311021
		Tongue	Mating	Steel	0	Steel	2	0	XXL	H5CS311022
F-100-1		Tongue	Mating	Steel	Steel	Steel	2	0	S/M	H5CS311023
		Tongue	Mating	Steel	Steel	Steel	2	0	UNIV	H5CS311121
		Tongue	Mating	Steel	Steel	Steel	2	0	XXL	H5CS311123
	CS3	QC	QC	Steel	0	Steel	2	0	S/M	H5CS221021
8		QC	QC	Steel	0	Steel	2	0	UNIV	H5CS221022
		QC	QC	Steel	0	Steel	2	0	XXL	H5CS221023
IC MODEL		Tongue	Mating	Steel	0	N/A	0	1	S/M	H5IC311001
	IC1 IC2 IC3	Tongue	Mating	Steel	0	N/A	0	1	UNIV	H5IC311002
		Tongue	Mating	Steel	0	N/A	0	1	XXL	H5IC311003
		QC	QC	Steel	0	N/A	0	1	S/M	H5IC221001
		QC	QC	Steel	0	N/A	0	1	UNIV	H5IC221002
		QC	QC	Steel	0	N/A	0	1	XXL	H5IC221003
		QC	QC	Alum	0	Steel	0	1	S/M	H5IC222021
		QC	QC	Alum	0	Steel	0	1	UNIV	H5IC222022
		QC	QC	Alum	0	Steel	0	1	XXL	H5IC222023
	IC4	QC	QC	Steel	0	Steel	0	1	S/M	H5IC221021
		QC	QC	Steel	0	Steel	0	1	UNIV	H5IC221022
		QC	QC	Steel	0	Steel	0	1	XXL	H5IC221023
	IC5	Tongue	Mating	Steel	Steel	Steel	0	1	S/M	H5IC311121
		Tongue	Mating	Steel	Steel	Steel	0	1	UNIV	H5IC311122
		Tongue	Mating	Steel	Steel	Steel	0	1	XXL	H5IC311123
		QC	QC	Steel	Steel	N/A	0	1	S/M	H5IC221101
	IC6	QC	QC	Steel	Steel	N/A	0	1	UNIV	H5IC221102
		QC	QC	Steel	Steel	N/A	0	1	XXL	H5IC221103

HONEYWELL MILLER® H500 MODEL GUIDE											
				D-RINGS							
CORE MODELS	VARIANT	LEG BUCKLES	CHEST BUCKLES	BACK D	FRONT D	SIDE D	SMALL SHOULDER PADS	SRL WEB LINK	SIZING	PART NUMBER	
IS MODEL	IS1P	Tongue	Mating	Steel	0	N/A	2	0	S/M	H5ISP311001	
		Tongue	Mating	Steel	0	N/A	2	0	UNIV	H5ISP311002	
		Tongue	Mating	Steel	0	N/A	2	0	XXL	H5ISP311003	
	IS2P	Tongue	Mating	Steel	0	Steel	2	0	S/M	H5ISP311021	
		Tongue	Mating	Steel	0	Steel	2	0	UNIV	H5ISP311022	
		Tongue	Mating	Steel	0	Steel	2	0	XXL	H5ISP311023	
	IS3	Tongue	Mating	Steel	Steel	N/A	0	0	S/M	H5IS311101	
		Tongue	Mating	Steel	Steel	N/A	0	0	UNIV	H5IS311102	
		Tongue	Mating	Steel	Steel	N/A	0	0	XXL	H5IS311103	
	IS4	Tongue	Mating	Steel	Steel	Steel	0	0	S/M	H5IS311121	
		Tongue	Mating	Steel	Steel	Steel	0	0	UNIV	H5IS311122	
		Tongue	Mating	Steel	Steel	Steel	0	0	XXL	H5IS311123	
	IS5P	QC	QC	Steel	0	N/A	2	0	S/M	H5ISP221001	
		QC	QC	Steel	0	N/A	2	0	UNIV	H5ISP221002	
		QC	QC	Steel	0	N/A	2	0	XXL	H5ISP221003	
	IS6P	Mating	Mating	Steel	0	N/A	2	0	S/M	H5ISP111001	
		Mating	Mating	Steel	0	N/A	2	0	UNIV	H5ISP111002	
		Mating	Mating	Steel	0	N/A	2	0	XXL	H5ISP111003	
	IS7P	Mating	Mating	Steel	0	Steel	2	0	S/M	H5ISP111021	
		Mating	Mating	Steel	0	Steel	2	0	UNIV	H5ISP111022	
		Mating	Mating	Steel	0	Steel	2	0	XXL	H5ISP111023	
	IS8P	Tongue	QC	Steel	0	N/A	2	0	S/M	H5ISP321001	
		Tongue	QC	Steel	0	N/A	2	0	UNIV	H5ISP321002	
		Tongue	QC	Steel	0	N/A	2	0	XXL	H5ISP321003	
	IS9P	QC	QC	Steel	0	Steel	2	0	S/M	H5ISP221021	
		QC	QC	Steel	0	Steel	2	0	UNIV	H5ISP221022	
		QC	QC	Steel	0	Steel	2	0	XXL	H5ISP221023	

The new Miller® H500 Series meets OSHA 1926.502 , ANSI Z359.11 and CSA Z259.10 standards.

WEIGHT (LB)

