


# ROOF SKYLIGHT

## SAFETY COVER GUARD SYSTEM



**CAI** SAFETY SYSTEMS  
CUSTOM ENGINEERED FALL PROTECTION SYSTEMS

- ✓ EASY INSTALL
- ✓ NON-PENETRATING
- ✓ FREESTANDING
- ✓ OSHA & ANSI COMPLIANT



Visit our Skylight Systems at  
[http://caisafety.com/roof\\_skylight\\_guards](http://caisafety.com/roof_skylight_guards)

## SKYLIGHT SAFETY COVER GUARD SYSTEM FOR ROOFS

Unprotected skylights are a hazard that should be part of your Fall Protection Plan. Limit your liability and protect your employees with Skylight Cover Guard. Easy no-tool installation for temporary or permanent installations. Skylight Cover Guard simply sets in place over the skylight. Powdercoat paint provides long life. Many sizes available with the following features:

- Meets OSHA 1910.23(a) (4) and 1926.501(b) (4)
- Standard and custom sizes available
- Sets in place over the skylight for fast installation
- Non-penetrating to maintain watertight integrity of the roof
- Permanent or temporary skylight protection



Available in seven different colors:



- Set-in-place
- Non-penetrating solution.
- Standard and custom sizes.
- Permanent or temporary solution.




Visit our Skylight Systems at  
[http://caisafety.com/roof\\_skylight\\_guards](http://caisafety.com/roof_skylight_guards)

## SKYLIGHT SAFETY COVER GUARD SYSTEM FOR ROOFS

25 Standard sizes available:

Standard Sizes	A	B	C	D
2929	20"	41"	41"	10"
3054	9"	30"	54"	2"
3356	15"	33"	56"	7"
3636	23"	36"	36"	11"
4141	12"	41"	41"	2"
4444	19"	44"	44"	8"
4848	25"	48"	48"	10"
48109	28"	48"	109"	16"
5290	33"	52"	90"	20"
5454	31"	54"	54"	16"
5592	23"	55"	92"	9"
5597	29"	55"	97"	16"
5676	25"	56"	76"	11"
5757	19"	57"	57"	5"
58104	23"	58"	104"	9"
59127	28"	59"	127"	13"
6060	29"	60"	60"	11"
60103	25"	60"	103"	10"
64109	30"	64"	109"	14"
64113	30"	64"	113"	14"
6981	28"	69"	81"	11"
74119	29"	74"	119"	10"
8484	35"	84"	84"	14"
9090	34"	90"	90"	12"



Measurement Guide

Meets OSHA 1910.23(a) (4),  
 1926.501(b) (4), CAL OSHA 3212(e)

\*Due to continuous improvement, specifications are subject to change without notice.